Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

1 Product and Company Identification

- · Product identifier
- · Trade name: Mousemilk Fuel Treatment
- · Article number: WWF MFT
- · Application of the substance / the preparation

CHEMICAL FAMILY NAME: Injector/Carburetor Cleaner

PRODUCT USE: Fuel Additive

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Worldwide Filter, Inc. 1689 Abram Court

San Leandro, CA 94577 USA

(510) 483-5122

www.mousemilk.com

· Emergency telephone number:

(800) 535-5053 Infotrac Contact No.: 79544

2 Hazard(s) identification

- · Classification of the substance or mixture
- · Hazard description: Sweet, pungent
- · Information concerning particular hazards for human and environment:

Not applicable.

The product has to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:





T Toxic F Highly flammable

· Risk phrases:

45 May cause cancer.

61 May cause harm to the unborn child.

11 Highly flammable.

20 Also harmful by inhalation. 36/38 Irritating to eyes and skin.

48/20/21/22 Also harmful: danger of serious damage to health by prolonged exposure through inhalation, in

contact with skin and if swallowed.

62 Possible risk of impaired fertility.

Harmful: may cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

· Safety phrases:

Avoid exposure - obtain special instructions before use.

1/2 Keep locked up and out of the reach of children.

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 1)

9 Keep container in a well-ventilated place.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- Hazard description:
- · WHMIS-symbols:

B2 - Flammable liquid

D2A - Very toxic material causing other toxic effects



- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 108-88-3 EINECS: 203-625-9 Index number: 601-021-00-3 RTECS: XS 5250000	toluene Xn R48/20-63-65; Xi R38; F R11 R67 Repr. Cat. 3 Flam. Liq. 2, H225; Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	65-75%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 RTECS: NT 8050000	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	10-20%

(Contd. on page 3)

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

		(Contd. of page 2)
CAS: 108-10-1 EINECS: 203-550-1 Index number: 606-004-00-4 RTECS: SA 9275000	♠ Flam. Liq. 2, H225; ♠ Acute Tox. 4, H332; Eye Irrit. 2, H319;	1-10%
CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2	STOT SE 3, H335 Distillates (petroleum), hydrotreated light naphthenic T Carc. Cat. 2 R45 Carc. 1B, H350	1-10%

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Give large amounts of water. If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Co	· Components with limit values that require monitoring at the workplace:		
108	108-88-3 toluene		
EL	Long-term value: 20 ppm		
EV	Long-term value: 20 ppm		
67-	67-63-0 Isopropyl alcohol		
EL	Short-term value: 400 ppm Long-term value: 200 ppm		
EV	Short-term value: 400 ppm Long-term value: 200 ppm		
108	3-10-1 4-methylpentan-2-one		
EL	Short-term value: 75 ppm Long-term value: 20 ppm		
EV	Short-term value: 75 ppm Long-term value: 205 mg/m³, 50 ppm		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: Colorless to light amber

Odor: Sweet, pungent
Odour threshold: Not determined.
pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: 111 °C

• Flash point: > 4 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 425 °C

· **Decomposition temperature:** Not determined.

• **Auto igniting:** Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

(Contd. on page 6)

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 5)

· Explosion limits:

 Lower:
 1.2 Vol %

 Upper:
 12.0 Vol %

 ⋅ Vapor pressure @ 20 °C:
 29 hPa

Density @ 20 °C: 0.725 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 94.7 %

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
108-88-3 1	108-88-3 toluene		
Oral	LD50	5000 mg/kg (rat)	
Dermal	LD50	12124 mg/kg (rabbit)	
Inhalative	LC50/4 h	5320 mg/l (mouse)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic.

(Contd. on page 7)

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 6)

· Carcinogenic categories

· IARC (Int	· IARC (International Agency for Research on Cancer)				
108-88-3	toluene	3			
67-63-0	Isopropyl alcohol	3			
· NTP (Nat	· NTP (National Toxicology Program)				
None of the	None of the ingredients is listed.				

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

DOT, TDG, IATAIMDGUN1993Not Regulated

· **UN proper shipping name** None

• **DOT** Flammable liquids, n.o.s. (toluene, Isopropanol (Isopropyl

alcohol))

• TDG UN1993 Flammable liquids, n.o.s. (toluene, Isopropanol

(Isopropyl alcohol))

· IMDG, IATA FLAMMABLE LIQUID, N.O.S. (toluene, ISOPROPANOL

(ISOPROPYL ALCOHOL))

(Contd. on page 8)

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 7)

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids.

· Label

· TDG (Transport dangerous goods):



· Class 3 (F1) Flammable liquids

· Label

· IMDG, IATA



Class
 3 Flammable liquids.

· Label 3 · Packing group

· DOT, TDG, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

Special precautions for user
 Warning: Flammable liquids

Danger code (Kemler): 33EMS Number: F-E,S-E

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN1993, Flammable liquids, n.o.s. (toluene, Isopropanol

(Isopropyl alcohol)), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

108-88-3 toluene

67-63-0 Isopropyl alcohol

108-10-1 4-methylpentan-2-one

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)

Safety Data Sheet Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 8)

· Proposition 65

· Chemical	s known to cause cancer:		
108-10-1	4-methylpentan-2-one		
· Chemical	s known to cause reproductive toxicity for females:		
108-88-3	toluene		
· Chemical	· Chemicals known to cause reproductive toxicity for males:		
None of th	None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:			
108-88-3	toluene		

· Carcinogenic categories

· EPA (Environmental Protection Agency)			
108-88-3	toluene	II	
108-10-1	4-methylpentan-2-one	I	
· TLV (Thr	· TLV (Threshold Limit Value established by ACGIH)		
108-88-3	toluene	A4	
67-63-0	Isopropyl alcohol	A4	
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
None of the	ne ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)			
Corrosive	to eyes		

· Canadian substance listings:

· Canadian Domestic Substances List (DSL) All ingredients are listed. · Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed. · Canadian Ingredient Disclosure list (limit 1%) 108-88-3 toluene 67-63-0 Isopropyl alcohol 108-10-1 4-methylpentan-2-one

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:





T Toxic F Highly flammable

· Risk phrases:

45 May cause cancer.

61 May cause harm to the unborn child.

11 Highly flammable.

20 Also harmful by inhalation. 36/38 Irritating to eyes and skin.

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 9)

48/20/21/22 Also harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

62 Possible risk of impaired fertility.

65 Harmful: may cause lung damage if swallowed. 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

Avoid exposure - obtain special instructions before use.

1/2 Keep locked up and out of the reach of children.

9 Keep container in a well-ventilated place.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- R11 Highly flammable.
- R20 Harmful by inhalation.
- R36 Irritating to eyes.
- R36/37 Irritating to eyes and respiratory system.
- R38 Irritating to skin.
- R45 May cause cancer.
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- R63 Possible risk of harm to the unborn child.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Canadian WHMIS Standards & GHS Rev04

Printing date 08/12/2013 Reviewed on 08/12/2013

Trade name: Mousemilk Fuel Treatment

(Contd. of page 10)



Carc. 1B H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent